

## **Ambient Air Tubesheets** Models T-46 through T-99118

Filter section for existing or built-up air handling and HVAC systems.



**T-69** 

#### **Flexible**

- Unique filtration design is especially useful in applications that require customized packaging of the filters to meet requirements for airflow, physical size, or integration with other equipment.
- Excellent alternative in industrial environments where dust loading is too high for standard HVAC panel-type filters.

#### **Powerful**

Standard Ultra-Web<sup>®</sup> cartridges with nanofiber technology, provide higher filtration efficiency and long filter life.


- MERV\* 13 filtration efficiency rating outperforms the competition's standard filters.
- Automatic pulse-cleaning design for continuous operation.

#### **Cost Effective**

- Low system pressure drop keeps operating costs down and saves energy.
- Easy filter changeout for quicker maintenance.

### **Operational Explanation**

During normal operation, air flows inward through the intake duct and passes through the filter elements. Dust is collected on the outside surfaces of the elements. Clean air flows through the center of the elements into the clean air plenum.



Model	Nominal Airflow Range**	Filter Area	No. of Filters Ultra-Web®	Filter Arrangement		No. of	Dimensions (inches)†			Shipping Weight
	(cfm)	(ft²)		Columns	Rows	Valves	W	Н	L	(lbs)
T-46	4,950-6,660	1,460	8	2	2	4	40.0	36.5	69.9	370
T-69	6,600-9,900	2,190	12	3	2	6	56.5	36.5	69.9	520
T-913	9,900-13,200	2,920	16	4	2	8	73.0	36.5	69.9	670
T-1216	11,000-16,500	3,650	20	5	2	10	89.5	36.5	70.1	825
T-1319	13,200-19,800	4,380	24	4	3	12	73.0	53.0	68.3	960
T-1929	19,800-29,700	6,570	36	6	3	18	106.0	53.0	68.3	1,415
T-2939	29,700-39,600	8,760	48	4	6	24	73.0	102.5	68.3	1,800
T-3959	39,600-59,400	13,140	72	6	6	36	106.0	102.5	68.3	2,660
T-5979	59,400-79,200	17,520	96	8	6	48	139.0	102.5	68.3	3,500
T-7999	79,200-99,000	21,900	120	10	6	60	172.0	102.5	68.3	4,360
T-99118	99,000-118,800	26,280	144	12	6	72	223.0	102.5	68.3	5,210

#### **Dimensions & Specifications**

\* The Minimum Efficiency Reporting Value (MERV) of this filter cartridge has been determined through independent laboratory testing using ASHRAE 52.2 (1999) test standards. The MERV rating was determined at a face velocity of 118 feet per minute and loading up to four inches water gauge. Actual efficiency of any filter cartridge will vary according to the specific application parameters. Dust concentration, airflow, particle characteristics, and pulse cleaning methods all affect filtration efficiency.

\* \* Based on clean filters.

† Exact dimensions to be confirmed after receipt of order.



Donaldson Company, Inc. Industrial Air Filtration P.O. Box 1299 Minneapolis, MN 55440 Tel 800-365-1331(USA) Tel 800-343-3639 (Mexico) dustmktg@mail.donaldson.com www.donaldsontorit.com

Significantly improve the performance of your collector with genuine Donaldson Torit replacement filters and parts.

#### Visit us at www.donaldsontorit.com



Information in this document is subject to change without notice. © 1992 Donaldson Co., Inc. Printed in U.S.A. on recycled paper Data Sheet Ambient Air Tubesheet (10/06)

# **Our Business is Improving Your Workplace Air Quality.**



Since 1995, Environmental Solutions has been helping businesses, like yours, improve their workplace air quality. As an authorized service center for Donaldson Torit, we offer you a one-stop shop for equipment, service, engineering and installation of the industry's leading air pollution control systems.

Whether your company requires the removal of oil mist, welding fumes, machining or woodworking dust, graphite, or correction of any other type of air quality problem; we can expertly engineer and install a quality Donaldson Torit solution to meet your unique needs. No system is too big or too small.

## **TOLL FREE 1-866-438-7891**



12427 Fire Island Drive Loves Park, IL 61111 Phone: (847) 370-9304

Environmental Solutions is also your source for discount pricing on genuine Donaldson Torit Replacement Filters!

DONALDSON TORIT SALES | INSTALLATION | REPLACEMENT FILTERS